	Application No.	Applicant(s)
Notice of Allowability	10/774,175	GEHRINGHOFF, LUDGER
	Examiner	Art Unit
	George P. Wyszomierski	1742
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the Application filed 2/6/2004.		
2. The allowed claim(s) is/are <u>1-5</u> .		
 3.		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☑ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		Antonia Angelia atian (DTO 450)
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 		Patent Application (PTO-152)
	Paper No./Mail Dat	(1 10-413), le
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date <u>2/6/04</u> 	8), 7. ⊠ Examiner's Amendn	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
or blological Material	9.	·

Application/Control Number: 10/774,175 Page 2

Art Unit: 1742

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee. Authorization for this examiner's amendment was given in a telephone interview with Andrew Wilford, attorney of record on February 14, 2006.

2. In the claims:

Claim 1, line 6, after "workpiece" insert --to form an uncoated region--.

Claim 5, line 9, after "workpiece" insert --to form an uncoated region--.

- New Drawings are required in this application (i.e. as replacement sheets) because the Drawings as filed do not comply with 37 CFR 1.84(I). On the replacement sheets, every line, number, and letter in the Drawings must be durable, clean, black, sufficiently dense and dark, and uniformly thick and well-defined. The weight of all lines and letters must be heavy enough to permit adequate reproduction. See also MPEP section 714(II)(D) for additional information on submitting replacement sheets.
- 4. The following is an examiner's statement of reasons for allowance:

The prior art does not disclose or suggest a process which includes coating opposite faces of a metal sheet or plate, stripping the coating from one region of the faces while leaving the coating on the faces in another region, followed by heating and hardening only the uncoated region while not significantly heating the coated region.

Art Unit: 1742

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 5. On the attached PTO-1449 form, the Germany '361 reference is crossed out because no copy of this reference was supplied by Applicant. U.S. Patent 6,524,404 (cited on the attached PTO-892 form) is believed to contain identical disclosure.
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to George Wyszomierski whose telephone number is (571) 272-1252. The examiner can normally be reached on Monday thru Friday from 8:00 a.m. to 4:30 p.m. Eastern time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King, can be reached on (571) 272-1244. All patent application related correspondence transmitted by facsimile must be directed to the <u>new central facsimile number</u>, (571)-273-8300. This new Central FAX Number is the result of relocating the Central FAX server to the Office's Alexandria, Virginia campus.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

GEOPGE WYSZØMERSK PRIMARY EXAMINER GROUP **170**0

GPW February 14, 2006